





TE12 SERIES

COLLABORATION FOR EDUCATION AND ENTERPRISE MADE SIMPLE

Inspiration can strike at any moment, so our teachers and entrepreneurs need the right display technology to ensure performance, accuracy, and resilience to assist in realising their dreams and ideas.

The **TE12 SERIES** from iiyama inspires all possibilities in all stages for education, start-up and large-scale businesses. With our hybrid interactive solution, including Android 11 and optional OPS Slot PC features, you can smoothly annotate and control any content on the display from any source.

You can be sure that no matter what your Interactive aspiration, iiyama has the simplified solution just for you, this is why iiyama is the trusted Interactive Display brand for many of the world's largest organisations in education and business alike.

Boasting a new 4K Interface with User Profiles for simple login and access to your very own bespoke menu and Cloud Drives, the **TE12 SERIES** becomes a highly personalised device within a busy hybrid environment for multiple users.

With sizes from **55"**, **65"**, **75"**, **86"** and **98"** everyone will benefit from the flexibility and precision that the **TE12 SERIES** delivers.



TE12 SERIES AMAZING, EASY-TO-USE FEATURES YOU CAN EMPLOY EVERYDAY



PURETOUCH-IR

Delivers 1mm Touch accuracy for the smoothest and fastest annotation with 40pt infrared Touch technology.



STANDALONE SOLUTION

Slide-in a OPS Slot PC and unlock all of the control, security and flexibility of Windows IoT, including the entirety of the Microsoft eco system.



iiWARE 11

Features Note, Browser, Cloud Drive and the option for you to sideload relevant apps you require for your organisation.



iiYAMA SHARE

Supports AirPlay, Chromecast and Miracast to easily share, stream and edit content from your device to your TE12 SERIES and vice versa, back to your notebook, tablet or phone.



SECURITY

Utilise Screen lock and USB passcode protection to ensure user security and the new Clean app will clear all data and passwords used.



USB-C CONNECTION

Supports the latest in video, audio and Touch signal via a single port and even charges your device with 65W power delivery.



TE12 SERIES SPECIFICATIONS AND ACCESSORIES



TE5512MIS-B1AG | TE6512MIS-B1AG | TE7512MIS-B1AG | TE8612MIS-B1AG | TE9812MIS-B1AG

Diagonal **55"** (138.8cm) | **65"** (163.9cm) | **75"** (189.3cm) | **86"** (217.4cm) | **98"** (247.7cm)

Panel type	IPS, AG coated glass
Resolution	3840x2160 (4K UHD)
Panel brightness (cd/m²)	400
Light transmittance	88%
Static Contrast	1200:1
Operation time	24/7
Orientation	Landscape
Touch technology	PureTouch-IR, 40 Touch points, 5pt Writing
Video IN	HDMI x3 (2.0), USB-C x1 (3.1, 65W charging, Touch)
Video OUT	HDMI x1 (2.0)
Audio IN	MiniJack
Audio OUT	S/PDIF (optical), MiniJack, Speakers 2x 16W
RAM/ ROM	4GB/ 32GB
Controls	RS232c x1 (DSUB 9pin), RJ45 (LAN) x2 (Auto switch for PC & Android, 1000MB), USB touch x2
USB Ports	5x (front side: 2x 3.0, 1x USB-C 3.1 (65W PD), right side: 2x 3.0)
Dimensions (w x h x d) / Weigh	55" 1269 x 773 x 86mm / 26.8kg 65" 1489 x 897 x 86mm / 38kg 75" 1709 x 1020 x 86mm / 50.8kg 86" 1957 x 1159 x 86mm / 64.4kg 98" 2245 x 1323 x 91mm / 26.8kg
VESA (mm)	55" 400x200 65" 600x400 75" 800x400 86"- 98" 800x600
Features	iiWare 10 (Android 11 OS), pre-installed apps iiyama Share & EShare, WiFi module slot (OWM002), OPC Slot, Ambient Light Sensor, 4 dual function Touch pens, Over The Air (OTA) updates, Mounting bracket for NUC, Mounting bracket for webcam
OPS PC (optional)	OPC51103BC, OPC5801BC
Wall Mount (optional)	55" MD 052B1000, 65"/75" MD 052B2000, 86"/98" MD 052B2010, 98" MD 052B2040, 65"/75"/86" MD 052W7150K, 98" MD 052W155K, soundbar MD 052B7285
Warranty	5- year standard warranty in selected regions

All trademarks and registered trademarks acknowledged. Changes and mistakes in graphics and specs reserved. Specifications subject to change without notice. Copyright by Iiyama International. Stand 02/2023.